

ANTIFUNGAL- terbinafine hydrochloride cream
Meijer Distribution Inc

Antifungal Cream

Drug Facts

Active ingredient

Terbinafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

- too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and older
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor.
 - **on the bottom or sides of the foot:** apply twice a day

1 week between the toes



2 weeks on the bottom
or sides of the foot

On the bottom of each of the feet apply three a day
(morning and night) for **2 weeks** or as directed by a doctor.

- **for jock itch and ringworm:** apply once a day (morning **or** night) for **1 week** or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor



Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

Questions?

Call **1-866-923-4914**

**DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton

meijer™

Full Prescription Strength

Antifungal Cream

Terbinafine Hydrochloride Cream 1% / **Antifungal**

NET WT 1 oz (30 g)

Cures Most Athlete's Foot

meijer

Compare to Lamisil AT®
active ingredient*

Antifungal Cream

Terbinafine Hydrochloride Cream 1%
Antifungal

Cures Most Athlete's Foot

Relieves Itching, Burning and
Cures Most Athlete's Foot

LPK-6069-2
1214-2
M132

T175

meijer

Full Prescription Strength

Antifungal Cream

Terbinafine Hydrochloride Cream 1% / Antifungal
NET WT 1 oz (30 g)

Cures Most Athlete's Foot



Drug Facts (continued)
Other information • do not use if seal on tube is broken or is not visible
• store at controlled room temperature 20°-25° C (68°-77° F)
• see carton or tube crimp for lot number and expiration date
Inactive ingredients: benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polyisobutyl 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol
Questions? Call 1-866-923-4914



DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49504
www.meijer.com
Made in Canada

*This product is not
manufactured or
distributed by
Noventa AG, owner
of the registered
trademark Lamisil
AT®.

Drug Facts
Terbinafine hydrochloride 1%
Active ingredient

Uses
• cures most athlete's foot (tinea pedis)
• cures most itching (tinea cruris) and ringworm (tinea corporis)
• relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only
Do not use • on nails or scalp • in or near the mouth or the eyes • for vaginal yeast infections
When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if • too much irritation occurs or gets worse.
Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions
• adults and children 12 years and older
• use the tip of the cap to break the seal and open the tube
• wash the affected skin with soap and water and dry completely before applying
• for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily
• between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor.
• on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor.
• for itching and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
• wash hands after each use
• children under 12 years: ask a doctor

Illustrations:
1 week between the toes
2 weeks on the bottom or sides of the foot

ANTIFUNGAL

terbinafine hydrochloride cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Terbinafine Hydrochloride (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetyl alcohol (UNII: 936JST6JCN)	
cetyl palmitate (UNII: 5ZA2S6B08X)	
isopropyl myristate (UNII: 0RE8K4LNJS)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0KO0R)	
sodium hydroxide (UNII: 55X04QC32I)	
sorbitan monostearate (UNII: NVZ4I0H58X)	
stearyl alcohol (UNII: 2KR89I4HIY)	

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-080-02	1 in 1 CARTON	12/12/2012	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

Revised: 11/2020

Meijer Distribution Inc